

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : <b>A61K 7/00</b>	<b>A1</b>	(11) International Publication Number: <b>WO 96/29045</b>
		(43) International Publication Date: 26 September 1996 (26.09.96)
<p>(21) International Application Number: PCT/US96/03988</p> <p>(22) International Filing Date: 20 March 1996 (20.03.96)</p> <p>(30) Priority Data: 113057 21 March 1995 (21.03.95) IL</p> <p>(71) Applicant (for all designated States except US): RAMOT UNIVERSITY AUTHORITY FOR APPLIED RESEARCH AND INDUSTRIES DEVELOPMENT LTD. [IL/IL]; 32 Haim Levanon Street, 69975 Ramat-Aviv (IL).</p> <p>(71) Applicant (for MW only): SHOSHAN, Herbert, Z. [US/IL]; 344 Agur, Maccabim (IL).</p> <p>(72) Inventors; and (75) Inventors/Applicants (for US only): DASCALU, Avi [IL/IL]; 20 Mosenzon Street, 62965 Tel-Aviv (IL). ORON, Yoram [IL/IL]; 11 Rabbina Street, Ramat-Aviv, 69395 Tel-Aviv (IL).</p> <p>(74) Agents: HANDELMAN, Joseph, H.; Ladas &amp; Parry, 26 West 61st Street, New York, NY 10023 (US) et al.</p>		<p>(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p><b>Published</b> <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>
(54) Title: COMPOSITIONS FOR THE TREATMENT OF DANDRUFF		
<p>(57) Abstract</p> <p>Seborrheic dermatitis of the scalp is treated by a combination of a cytotoxic agent and antifungal agent.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LJ	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

## COMPOSITIONS FOR THE TREATMENT OF DANDRUFF

### FIELD OF THE INVENTION

The invention relates to pharmaceutical compositions for use in the treatment of seborrheic dermatitis of the scalp.

5

### BACKGROUND OF THE INVENTION

Dandruff, seborrheic dermatitis of the scalp, is a common disease involving 3-5% of the population. Dandruff is, in many cases, the precursor of alopecia (baldness) and constitutes a chronic and almost intractable cosmetic and social inconvenience. The pathophysiology of the disease remains unknown, although it is known to involve a hyperproliferative state of the skin, a limited inflammatory process, and a secondary microbial colonization by the lipophilic yeast *Pityrosporum*, which is abundant and significantly overpopulated on the scalp of seborrheic patients.

15

Dandruff is a chronic and almost incurable disease. Available treatments result only in short term effects with an eventual recurrence of the disease.

A traditional treatment of dandruff included administration onto the scalp of either a cytotoxic agent or an antifungal agent. However, as

pointed out heretofore no treatment provides long term alleviation from the symptoms of this disease.

It is an object of the invention to provide a composition useful in the treatment of dandruff or symptoms associated therewith.

5 It is another object of the invention to provide a method for alleviation of dandruff or symptoms associated therewith.

### GENERAL DESCRIPTION OF THE INVENTION

10 The present invention provides by a first of its aspects a composition, e.g. in the form of a hair shampoo, for the treatment of dandruff or of symptoms associated therewith, comprising in combination an effective amount of at least one cytotoxic agent and an effective amount of at least one antifungal agent, together with a carrier, a diluent or an excipient.

15 The term "effective amount" as used herein means to denote an amount of an agent effective in achieving a therapeutic result in the treatment of dandruff, such as alleviation of itching, a decrease in the amount of scales, a reduction in the rate of hair loss, a reduction in scalp redness, etc.

20 The term "*cytotoxic agent*" as used herein means to denote an agent which inhibits proliferation of keratinocytes skin cells. The term "*antifungal agent*" will be used to denote an agent which is specifically active in inhibiting growth of fungus and the fungus' ability to colonize the skin, which includes, *inter alia*, agents which are destructive to fungi, or  
25 active in suppressing growth of fungus or affect their ability to reproduce.

It will be appreciated by the artisan that the agents which are cytotoxic may also have some anti-fungal activity and an anti-fungal agent may also have some cytotoxic activity. Thus, the term "cytotoxic agent" refers to agents which are known in the art primarily by having cytotoxic

activity and the term "*antifungal agent*" refers to agents which are known in the art primarily by their antifungal activity.

In the following description reference will at times be made to concentrations given in percent (%), this indication meaning the number of weight units of any ingredient in hundred weight units of an entire composition.

Examples of cytotoxic agents useful in accordance with the invention are coal tars, selenium sulfide, zinc pyrithione or the like. The preferred cytotoxic agent is coal tar, typically included in the composition in concentration of 1-5%.

Examples of antifungal agents useful in accordance with the invention include imidazoles, ciclopiroxolamines and metronidazoles. The imidazoles, which are preferred in accordance with the invention, include ketoconazole, bifonazole, itraconazole, econazole, clotrimazole, miconazole, oxiconazole, isoconazole and the like. From the imidazoles, ketoconazole is particularly preferred. Typically, the antifungal agent is included in the composition in a concentration of 0.5-5%

The present invention further provides the use of said cytotoxic agent in combination with said antifungal agent for the preparation of a composition, e.g. a medical hair shampoo, for the treatment of dandruff.

A further aspect of the invention is concerned with the treatment of individuals suffering from dandruff by combined application to the scalp of such individuals of said cytotoxic agent and of said antifungal agent. The individuals may be treated by the use of a single composition, e.g. in the form of a hair shampoo, comprising both agents. Alternatively, the individuals may be treated by a combination of two different compositions, one comprising said cytotoxic agent and the other said antifungal agent.

The above described combination may be applied 3-4 times during the first week from the start of the treatment, and 1-2 times a week, thereafter.

The present invention also pertains to a package comprising at least two compositions, one comprising said antifungal agent and the other said cytotoxic agent, optionally with instructions for use in said method.

In the following the invention will be illustrated with reference to a non-limiting specific embodiment described in the Example below.

**Example 1:**

A group of six patients (ages 17-38) with a severe case of dandruff were on a regular bi-weekly anti seborrheic treatment prior to the onset of the experiment. During the experiment they were treated with a combination of the following two compositions:

- a. a composition comprising 1.8% coal tar.
- b. a solution comprising 2% ketoconazole.

The patients were instructed to apply the two compositions, one after the other, in an amount sufficient to cover the entire scalp. The patients were instructed to apply the compositions on days 1, 3, 6 and 9. The patients' conditions were examined after 14 or 30 days following the onset of treatment.

The patients' conditions were evaluated by the following criteria:

- (i) scaling - existence of scales on the scalp, typically at the temporal area;
- (ii) itching - based on the patient's subjective feeling;
- (iii) severity - overall assessment of the dandruff disease situation, taking into account the skin redness as an indication of inflammatory conditions.

For the above criteria a score was given by using the following scale:

	0	-	non existing
	1	-	minimal
5	2	-	moderate
	3	-	severe

The results are shown in the following Table 1:

10

Table 1

15

Patient No.	Age	Sex	Scale		Itch		Severity		Day
			B*	A*	B*	A*	B*	A*	
1	22	m	2	0	2	0	2	0	30
2	38	m	3	1	3	0	3	1	14
3	23	m	2	0	2	0	2	0	14
4	27	m	2	0	2	0	2	0	14
5	17	f	3	1	3	1	3	1	14
6	37	m	2	0	2	0	2	0	14,30

20

- \* B - before treatment according to the present invention;  
 + A - after treatment.

The results of Table 1 show clearly that following treatment, there is a considerable decrease in scale formation, reduction in scalp redness and itching in all treated patients. The subjects reported that the improvements started within about five days from the onset of the treatment. Furthermore, this combined treatment brought to a remission of the disease's symptoms

25

for about two weeks in some of the patients, after the treatment was terminated, as can be seen in the patients tested after thirty days.

**Example 2:**

A group of three patients who had no record of treatment for dandruff prior to the onset of the experiment, was given the same treatment as in Example 1. The patients' condition was as severe as in Example 1.

The results are shown in the following Table 2:

**Table 2**

10

Patient No.	Age	Sex	Scale		Itch		Severity		Day
			B*	A*	B*	A*	B*	A*	
1	32	f	1	0	1	0	1	0	30
2	27	f	2	1	3	1	2	1	30
3	24	f	1	0	1	0	1	0	14

15

\* B - before treatment according to the present invention;

+ A - after treatment.

Again it is clearly demonstrated that the combined application of the two compositions, results in a substantial disappearance of the symptoms accompanying dandruff disease.

20



**CLAIMS:**

1. A composition for treatment of seborrheic dermatitis of the scalp, comprising, in combination, an effective amount of at least one cytotoxic agent and an effective amount of at least one antifungal agent, together with a carrier, diluent or excipient.
2. A composition according to claim 1, wherein the cytotoxic agent is selected from the group consisting of coal tars, selenium sulfide and zinc pyrithione.
3. A composition according to claim 2, comprising 1 to 5% of said cytotoxic agent.
4. A composition according to claim 1, wherein the antifungal agent is selected from the group consisting of imidazoles, ciclopiroxolamines and metronidazoles.
5. A composition according to claim 4, wherein the antifungal agent is selected from the group consisting of ketoconazole, bifonazole, itraconazole, econazole, clotrimazole, miconazole, oxiconazole and isoconazole.
6. A composition according to claim 4, comprising 0.5 to 5% of said antifungal agent.
7. Use of at least one cytotoxic agent, together with at least one antifungal agent for the preparation of a composition for the treatment of dandruff.
8. A method for treating dandruff comprising applying to the scalp an effective amount of at least one cytotoxic agent in combination with at least one antifungal agent.
9. A package which comprises at least one composition comprising a cytotoxic agent and at least one composition comprising an antifungal agent.

10. A package according to claim 9, which comprises instructions for use in the method of claim 8.

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US96/03988

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :A61K 7/00

US CL :424/70.1; 514/852, 864

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 424/70.1; 514/852, 864

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X --- Y	US, 4,518,789 A (YU et al.) 21 May 1985, columns 1, 30 and 36.	1, 4, 5, 7, 8 ----- 2, 3, 6, 9, 10
Y	US, 4,294,852 A (WILDNAUER et al.) 13 October 1981, columns 4-5	1-10
A	US, 4,491,588 A (ROSENBERG et al.) 01 January 1985, columns 1-4.	1-10

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

## \* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be part of particular relevance

\*E\* earlier document published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*&amp;\* document member of the same patent family

Date of the actual completion of the international search

13 JUNE 1996

Date of mailing of the international search report

15 JUL 1996

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

SALLY GARDNER

Telephone No. (703) 308-2351